## synchrony



# Quick Reference Guide

synchrony Lenses

Your guide to the lens portfolio.



synchrony® Customize	d Lens Referenc	e Guide	1.50	1.50 PhotoFusion*	1.50 Transitions <sup>*</sup>	1.50 Transitions <sup>®</sup> Vantage <sup>™</sup>	SUNGLASS 1.50 Polarized	1.53 Trivex*	1.53 Trivex Transitions®	SUNGLASS 1.53 Trivex NXT <sup>*</sup> Fixed Tint	SUNGLASS  1.53 Trivex NXT Fixed Tint with Mirror	SUNGLASS 1.53 Trivex NXT Photochromic	SUNGLASS 1.53 Trivex NXT Polarized	SUNGLASS 1.53 Trivex NXT Photochromic Polarized	1.59 Poly	1.59 Poly PhotoFusion	1.59 Poly Transitions <sup>*</sup>	1.59 Poly Transitions <sup>®</sup> XTRActive <sup>®</sup>	1.59 Poly Transitions <sup>®</sup> Vantage <sup>™</sup>	SUNGLASS 1.59 Poly Polarized	1.60 High Index	1.60 PhotoFusion	1.60 Transitions*	SUNGLASS  1.60 Polarized	1.67 High Index	1.67 PhotoFusion	1.67 Transitions*	1.67 Transitions <sup>*</sup> XTRActive <sup>*</sup>	SUNGLASS 1.67 Polarized	1.74 (Rx outsource only)
PRODUCT	KEY FEATURES	INDEX PUCK DIAM COLOUR		1.499 75/95	1.497 75/95	1.497 75/95	1.499 75/95	1.527 72/92 Clear	1.527 72/92	1.527 72/92 Grey, Brown,	1.527 72/92 Grey with Silver,	1.527 72/92 Grey, Brown, Day/	1.527 72/92 Grey, Brown	1.527 72/92 Grey, Brown	1.586 72/92	1.586 72/92	1.586 72/92	1.586 72/82	1.586 72/92	1.586 72/92	1.595 75/95 Clear	1.595 75/95 Grey, Brown	1.595 75/95 Grey, Brown	1.595 75/95 Grey, Brown &	1.659 70/90 Clear	1.659 70/90 Grey, Brown	1.659 70/90 Grey, Brown	1.659 70/90	1.659 70/90 Grey, Brown	1.731 Varies
synchrony Customized Pro	 ogressive Designs	COLOUR	Clear	Grey, Brown	Grey, Brown	Grey	Grey, Brown	Clear	Grey, Brown	Grey-Green	Brown with Gold	Nite (Amber/Grey)	Grey, Brown	Grey, Brown	Cicai	Grey, Brown	Grey, Brown	Grey	Grey	Grey, Brown	Cicai	Grey, Brown	Grey, Brown	G-15	Clear	diey, Blown	Grey, Brown	diey	Grey, Brown	Clear
Synthiony customized respective Besign		Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
synchrony Ultra HDC  Rx: Compensated Frame: Variable Corridor 13-35 mm Face: Position of Wear		Add Power																		0.75 to +3.50										
					0.73 to 13.30																			0.73 to 13.30	0.75 to 15.50		0.75 to 15.50	Un to C 00	0.75 to 15.50	
		Cyl Range	Up to -6.00	Up to -6.00	·	Ορ το -6.00	Up to -6.00			Up to -4.00	· ·	·	Up to -4.00		Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	<u>'</u>	Up to -6.00	·	Up to -6.00		Up to -6.00D	υρ το -6.00	υρ το -6.00	Up to -4.00	υρ το -4.00	Op to -6.00	υρ το -6.00
synchrony Ultra HDV  Rx: Compensated Frame: Variable Corridor 13-35 mm	Rx: Compensated	Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
	Frame: Variable Corridor 13-35 mm	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50
		Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
synchrony Ultra HD  Rx: Compensated Frame: 5 fixed Fit Heights 13, 15, 17, 19, 21 mm	Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00	
	Frame: 5 fixed Fit Heights	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50
		Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
		Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
synchrony Easy View HD  Rx: Optimized Frame: 3 fixed Fit Heights 13, 15, 17 mm	Frame: 3 fixed Fit Heights	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50
	13, 15, 17 mm	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
synchrony Easy Adapt HD  Rx: Optimized Frame: Fit Height 18 mm	Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00	
	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	
	Frame: Fit Height 18 mm	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
		Power Range	-10 00 to +6 00				-8.00 to +6.00					· ·	·	<u>'</u>	-9.00 to +6.00				i i	-9.00 to +6.00	<u> </u>		<u>'</u>		-12 00 to +8 00	-12 00 to +8 00	-12 00 to +8 00	-12 00 to +8 00	-11 00 to +6 00	-16 00 to +10 00
	Rx: Compensated	Add Dames																												
	Frame: Fit Height 14 mm	Add Power	0.50 to +2.00																	0.50 to +2.00										0.50 to +2.00
1 0 1 100		Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
synchrony Customized Off	fice Designs																													
	Rx: Compensated	Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
synchrony Work & Go HD	Frame: Fit Height 17 mm Function: All day with enhanced near	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to 3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50
	elinanceu near	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
	Rx: Compensated	Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
synchrony Work & Read HD	Frame: Fit Height 16 mm Function: Indoor out to	Add Power	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00D	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00	0.75 to +3.00
	1.5 metres (5 feet)	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00
		Power Range	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-10.00 to +6.00	-8.00 to +6.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-9.00 to +5.00	-5.00 to +5.00	-5.00 to +5.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-9.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +6.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-11.00 to +6.00	-16.00 to +10.00
synchrony Work & Office HD	Rx: Compensated Frame: Fit Height 16 mm Function: Indoor out to	Add Power	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to 3.50D	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50	0.75 to +3.50
	3 metres (10 feet)	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
synchrony Customized Sin	gle Vision Designs																												_	
	Ry: Componented	Power Range	-9.00 to +10.00	-9.00 to +10.00	-9.00 to +10.00	-9.00 to +10.00	-7.00 to +6.00	-11.00 to +8.00	-11.00 to +8.00	-11.00 to +8.00	-11.00 to +8.00	-11.00 to +8.00	-5.00 to +8.00	-5.00 to +8.00	-10.00 to +8.00	-10.00 to +8.00	-10.00 to +8.00	-10.00 to +8.00	-10.00 to +8.00	-8.00 to +6.50	-11.00 to +8.00	-12.00 to +6.00	-12.00 to +6.00	-11.00 to +8.00D	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-12.00 to +8.00	-10.00 to +8.00	-15.00 to +12.00
	Rx: Compensated Face: Position of Wear	Cyl Range	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00	Up to -6.00D	Up to -6.00	Up to -6.00	Up to -4.00	Up to -4.00	Up to -6.00	Up to -6.00
synchrony Customized Spo	synchrony Customized Sport / Wrap Designs (Summer 2016)																													
			-3.50 to +4.00	-3.50 to +4.00	-3.50 to +4.00		-3.50 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.00 to +4.00	-4.50 to +4 00	-4.50 to +4.00	-4.50 to +4.00			-4.50 to +4.00	-4.00 to +6.00	-4.00 to +6.00	-4.00 to +6.00	-4.00 to +6.00						
synchrony PAL Curve HDC 13-35 mm Face: Position of Wear	Frame: Variable Corridor		0.75 to +3.50											0.75 to +3.50							0.75 to +3.50									
	Face: Position of Wear																													
Wrap: up to 25 Degrees		Up to -4.00							·		·	·	Up to -4.00						Up to -4.00		Up to -4.00									
synchrony SV Curves HDC  Rx: Compensated Face: Position of Wear Wrap: up to 25 Degrees  C		-3.50 to +4.00											-4.00 to +4.00							-4.00 to +6.00										
	Cyl Range	Up to -4.00	Up to -4.00	Up to -4.00		Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00			Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00	Up to -4.00							

#### synchrony Customized Lens Portfolio Engravings

DESIGN	NASAL ENGRAVING	TEMPORAL ENGRAVING	TEMPORAL CODES					
synchrony Ultra HDC	UHC	^Add m	Add = 2 Digit Add Code m = 1 Letter Material Code					
synchrony Ultra HDV	UHV	XX	xx = corridor code					
synchrony Ultra HD 13, 15, 17, 19, 21	UHx (x = 2 digit design code)	^Add m	Add = 2 Digit Add Code m = 1 Letter Material Code					
synchrony Easy Adapt HD	EA		Add = 2 Digit Add Code m = 1 Letter Material Code					
synchrony Easy View HD 17	EV	Add m						
synchrony Easy View HD 15	EM	Add III						
synchrony Easy View HD 13	ES							
synchrony Work & Go HD	WG							
synchrony Work & Office HD	WO	^Add m	Add = 2 Digit Add Code m = 1 Letter Material Code					
synchrony Work & Read HD	WR							
synchrony Starter HD	SH	^Add m	Add = 2 Digit Add Code m = 1 Letter Material Code					
synchrony SV HDC	HD	^m	m = 1 Letter Material Code					
synchrony Progressive Curves HDC	CHV	^Add m xx	Add = 2 Digit Add Code m = 1 Letter Material Code xx = corridor code					
synchrony SV Curves HDC	SCH	^m	m = 1 Letter Material Code					

#### synchrony is referenced as "syn" in lab ordering systems

#### Legend:

HD: High Definition (freeform produced)
HDV: High Definition with Variable corridor
HDC: High Definition with Variable corridor and

Customized to actual Position of Wear (PoW) values

PoW: Position of Wear



### Protect your eyes from the sun with these options:

#### **PhotoFusion**

Self-tinting lenses give you 100% protection from the sun and harmful solar UV rays. synchrony is offering the latest generation of self-tinting lenses. And the best thing is that PhotoFusion® self-tinting lenses turn up to 2 times faster\* from dark to clear than previous photochromic lenses offered by Carl Zeiss Vision.

\*Average performance. Performance will vary by material, temperature and light conditions.



#### **Tinted or Polarized synchrony lenses**

synchrony tinted lenses ensure perfect vision even in the brightest sunlight, as well as providing 100% UV protection and superior contrast compared to conventional sunglasses. For truly outstanding visual comfort, this variant can be combined with an integrated polarization filter. Polarizing lenses reduce the irritating glare caused by the sun's reflection off water and metallic surfaces, enabling the wearer to enjoy comfortable, relaxed vision.



## synchrony

synchrony lenses offer more designs, more practice solutions, more satisfied patients.

For more information contact your Carl Zeiss Vision representative or visit www.synchronylenses.ca

German Precision Optics Manufactured in Canada.

Carl Zeiss Vision Inc. 1-800-268-6489